

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) Apparatus for canceling echoes over a communications channel, said apparatus comprising:
  - means for implementing, at the start of a communications session over a communications line, a plurality of echo cancellors to cancel echo on said communications line, said echo cancellors each operating to cancel echoes that arrive during a predetermined bandwidth of time, said predetermined band-widths of time being non-overlapping;
  - means for training each of said plurality of echo cancellors to produce a cancellation signal that cancels echoes arriving during the predetermined bandwidth of time associated with said echo cancellor; and
  - means for eliminating, after a predetermined training period, all echo cancellors that produce a cancellation signal below a predetermined threshold.
2. (Original) Apparatus of claim 1 wherein said bandwidths of time are equal in width to each other.

3. (Original) The apparatus of claim 2 wherein said non-overlapping bandwidths are each approximately 16 milliseconds apart.
4. (Original) The apparatus of claim 1 further comprising a graphical user interface for allowing a user to alter the predetermined threshold.
5. (Original) A method of canceling echoes in a telecommunications system comprising the steps of:
  - establishing a plurality of non-overlapping echo canceling filters;
  - training each of said non-overlapping echo canceling filters such that each produces a canceling signal within a predetermined time bandwidth;
  - eliminating all of said echo cancellors with the exception of those that produce a canceling signal above a predetermined threshold.
6. (Original) The method of claim 5 further comprising the step of adjusting said predetermined threshold based upon results produced by said method of claim 5.
7. (Original) The method of claim 5 wherein each of said non-overlapping filters occupies a time width of approximately 16 milliseconds.
8. (Previously Presented) An apparatus comprising:

a plurality of echo cancellors to cancel echo on a communications line, the echo cancellors each operating to cancel echoes that arrive during a predetermined bandwidth of time, the predetermined bandwidths of time being non-overlapping; and

a control circuit in electrical communication with the plurality of echo cancellors to eliminate, after a predetermined training period, all echo cancellors that produce a cancellation signal below a predetermined threshold.

9. (Previously Presented) The apparatus of claim 8, wherein said bandwidths of time are equal in width to each other.

10. (Previously Presented) The apparatus of claim 8, wherein said non-overlapping bandwidths are each approximately 16 milliseconds in width.

11. (Previously Presented) The apparatus of claim 8, further comprising a graphical user interface for allowing a user to alter the predetermined threshold.

Conclusion

The Examiner is respectfully requested to contact the undersigned by telephone if such contact would further the examination of the present application. Please charge any shortages and credit any overcharges to our Deposit Account number 02-2666.

Respectfully submitted,  
**BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN, LLP**

Date: March 21, 2004

Philip A. Pedigo  
Philip A. Pedigo  
Reg. No. 52,107

12400 Wilshire Boulevard  
Seventh Floor  
Los Angeles, CA 90025-1026  
(503) 684-6200

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313 on:

3-21-05  
Date of Deposit  
Katherine Jennings  
Name of Person Mailing Correspondence  
Katherine Jennings  
Signature  
3-21-05  
Date